

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
08/845,897	04/28/1997	M. ASHRAF IMAM	77897US1	8846
26384 75	90 05/30/2006		EXAMINER	
NAVAL RESEARCH LABORATORY			VO, HAI	
ASSOCIATE COUNSEL (PATENTS) CODE 1008.2		ART UNIT	PAPER NUMBER	
4555 OVERLOOK AVENUE, S.W.			1771	
WASHINGTON, DC 20375-5320			DATE MAILED: 05/30/2006	5

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)	—— /
Office Action Summary		08/845,897	IMAM ET AL.	
		Examiner	Art Unit	
		Hai Vo	1771	
Period fo	The MAILING DATE of this communication a	appears on the cover sheet with the	ne correspondence address	
A SH	ORTENED STATUTORY PERIOD FOR REF CHEVER IS LONGER, FROM THE MAILING	PLY IS SET TO EXPIRE 3 MONT DATE OF THIS COMMUNICAT	TH(S) OR THIRTY (30) DAYS,	
- Exter after - If NO - Failu Any r	nsions of time may be available under the provisions of 37 CFR SIX (6) MONTHS from the mailing date of this communication. I period for reply is specified above, the maximum statutory perior to reply within the set or extended period for reply will, by start reply received by the Office later than three months after the mater patent term adjustment. See 37 CFR 1.704(b).	1.136(a). In no event, however, may a reply bood will apply and will expire SIX (6) MONTHS tute, cause the application to become ABAND	re timely filed from the mailing date of this communication. DNED (35 U.S.C. § 133).	
Status				
1)⊠	Responsive to communication(s) filed on 28	April 2006.		
·		his action is non-final.		
3)[Since this application is in condition for allow	vance except for formal matters,	prosecution as to the merits is	
	closed in accordance with the practice unde	r <i>Ex par</i> te <i>Quayle</i> , 1935 C.D. 11	, 453 O.G. 213.	
Dispositi	on of Claims			
4)⊠	Claim(s) 1-28 is/are pending in the application	on.		
•	4a) Of the above claim(s) <u>5,6,8-10 and 12-16</u>		ation.	
5)	Claim(s) is/are allowed.	·		
6)⊠	Claim(s) <u>1-4,7, 11 and 17-28</u> is/are rejected.			
·	Claim(s) is/are objected to.		•	
8)[Claim(s) are subject to restriction and	d/or election requirement.		
Applicati	on Papers			
9) 🗌 🤄	The specification is objected to by the Exami	iner.		
10)[The drawing(s) filed on is/are: a)☐ a	ccepted or b) objected to by the	ne Examiner.	
	Applicant may not request that any objection to the	he drawing(s) be held in abeyance.	See 37 CFR 1.85(a).	
	Replacement drawing sheet(s) including the corre	•		
11)[The oath or declaration is objected to by the	Examiner. Note the attached Off	fice Action or form PTO-152.	
Priority u	ınder 35 U.S.C. § 119			
_	Acknowledgment is made of a claim for forei	gn priority under 35 U.S.C. § 119	9(a)-(d) or (f).	
a)[All b) Some * c) None of:			
	1. Certified copies of the priority docume		nation No	
	2. Certified copies of the priority docume3. Copies of the certified copies of the priority docume			
	application from the International Bure	•	sived in this Hational Stage	
* S	See the attached detailed Office action for a li	, , , ,	eived.	
		•		
Attachmen	t(s)			
1) Notic	e of References Cited (PTO-892)	4) Interview Summ		
	e of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449 or PTO/SB/0	Paper No(s)/Ma 5) Notice of Inform	il Date al Patent Application (PTO-152)	
	r No(s)/Mail Date	6) Other:	, , , , , , , , , , , , , , , , , , ,	

Application/Control Number: 08/845,897

Art Unit: 1771

1. The art rejections over Tsang et al (US 4,605,595) taken individually are withdrawn in view of the present amendment. Tsang does not disclose the composite material comprising from 60 to 95% by volume of the polymeric matrix. However, upon further consideration, new grounds of rejections are made in view of newly discovered reference of JP 08-245810.

Drawings

2. The drawings were received on 04/06/2006. These drawings are acceptable.

Claim Rejections - 35 USC § 112

3. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

4. Claims 1-4, 7, 11 and 17-28 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Support for the article comprising from about 60 volume % to about 95 volume % of the polymeric matrix is not found in the original disclosure. Note that the foam density is actually a measurement of mass per unit volume. Therefore, it is not clear what is meant by "a percent foam density" because specifying foam density as a percentage does not make sense at all. Further information is

Application/Control Number: 08/845,897

A person shall be entitled to a patent unless -

Art Unit: 1771

needed to determine whether there exists a correlation between the foam density percentage and an open cell content as asserted by Applicants.

Page 3

Claim Rejections - 35 USC § 102

- 5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:
 - (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 6. Claims 1-3, 11, 19, 22, 23, 25, 26 and 28 are rejected under 35 U.S.C. 102(e) as being anticipated by JP 08-245810. JP'810 teaches a wet friction material for use as a clutch in the automotive automatic transmission comprising a metal foam having a three-dimensional network with a void volume of 95% (paragraph 8). The open cell structure of the metal foam is filled with an epoxy resin by vacuum impregnation (paragraph 5). The wet friction material further contains a limited amount of a friction modifier to stabilize the friction property if necessary (paragraph 5). Likewise, the friction modifier is not a required component of the wet friction material. The impregnating material therefore substantially contains epoxy resin. It is the examiner's position that the epoxy resin occupies approximately about 95 volume % of the total volume of the metal foam. The wet friction material has a thickness of 1mm (paragraph 8). Likewise, the wet friction

Application/Control Number: 08/845,897

Art Unit: 1771

material is in the form of a sheet. Accordingly, JP'810 anticipates the claimed subject matter.

Page 4

Claim Rejections - 35 USC § 103

- 7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 8. Claims 4 and 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over JP 08-245810 as applied to claim 1 above, and further in view of Tsang (US 4,605,595). Tsang does not specifically disclose an aluminum foam. Tsang, however, teaches an open foam structure comprised of sheets of aluminum or nickel which are vacuum impregnated with a slurry of an epoxy resin binder which contains fillers and/or friction modifiers so as to produce a filled foam structure suitable as a friction article. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to substitute an aluminum foam for the copper foam since aluminum foam and nickel foam have been shown in the art to be recognized equivalent metallic foams for use in friction articles.
- 9. Claims 17, 18, 20, 21, 24 and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over JP 08-245810. JP'810 does not specifically disclose pore size or the pore size relationship of the pores of the metal foam. However, it is well-

known in the art that the pore size distribution directly effects the properties of the foam. Therefore, it would have been within the level of ordinary skill in the art to have used a uniform pore sized foam, motivated by the desire to obtain a foam having substantially uniform properties along the entire length of the foam.

Likewise, it would have been obvious to the skilled artisan to use a foam with gradation of pore sizes, motivated by the desire to obtain a foam with properties that vary along its length.

With regard to claim 20, a laminate containing a plurality of impregnated metal foam sheets is not literally disclosed in JP'810. However, the skilled artisan would have found it obvious to form a laminate containing a plurality of like impregnated metal foam sheets, motivated by the desire to further enhance the properties exhibited by the use of one impregnated metal foam sheet.

With regard to claim 21, JP'810 does not specifically discloses the thickness of the metal foam greater than 3 times the average diameter of the cells. However, such a variable would have been recognized by one skilled in the art as to enhance the compressive and tensile strength of the metal foam.

Alternatively, it would have been obvious to the skilled artisan to prepare a metal foam having a smaller average cell diameter, motivated by the desire to have optimized the compressive, flexural, shear and tensile strength of the resulting impregnated foam. As such, in the absence of unexpected results, it would have been obvious to one having ordinary skill in the art at the time the invention was made to have optimized either the thickness of the metal foam or the average

Art Unit: 1771

cell diameter of the metal foam motivated by the desire to enhance the tensile strength and barrier properties of the metal foam since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. *In re Aller*, 105 USPQ 233.

Page 6

10. Claims 1-4, 7, 11, and 17-22, and 26-28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tsang (US 4,605,595) in view of JP08-245810. Tsang discloses an open foam structure comprised of sheets of aluminum which are vacuum impregnated with a slurry of an epoxy resin binder which contains fillers and/or friction modifiers so as to produce a filled foam structure. Tsang discloses that the higher the content of binder, the higher the wear rate the composite material exhibits (column 5, lines 55-60). Tsang also discloses that the high content of the binder facilitates the impregnation (column 5, lines 50-60). Tsang does not specifically the percent by volume of the binder being filled the open cell structure of the metal foam. JP'810, however, teaches a wet friction material for use as a clutch in the automotive automatic transmission comprising a metal foam having a three-dimensional network with a void volume of 95% (paragraph 8). The open cell structure of the metal foam is filled with an epoxy resin by vacuum impregnation (paragraph 5). The wet friction material further contains a limited amount of a friction modifier to stabilize the friction property if necessary (paragraph 5). Likewise, the friction modifier is an optional component of the wet friction material. The impregnating material therefore substantially contains

epoxy resin. It is the examiner's position that the epoxy resin occupies approximately about 95 volume % of the total volume of the metal foam. It is the examiner's position that the epoxy resin occupies approximately about 95 volume % of the total volume of the metal foam. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to use the composite material having about 95% by volume of binder as taught by JP'810 motivated by the desire to facilitate the impregnation process and further provide the friction material with higher wear rate.

With regard to claims 17 and 18, Tsang does not specifically disclose pore size or the pore size relationship of the pores of the metal foam. However, it is well-known in the art that the pore size distribution directly effects the properties of the foam. Therefore, it would have been within the level of ordinary skill in the art to have used a uniform pore sized foam, motivated by the desire to obtain a foam having substantially uniform properties along the entire length of the foam. Likewise, it would have been obvious to the skilled artisan to use a foam with gradation of pore sizes, motivated by the desire to obtain a foam with properties that vary along its length.

With regard to claim 20, a laminate containing a plurality of impregnated metal foam sheets is not literally disclosed in Tsang. However, the skilled artisan would have found it obvious to form a laminate containing a plurality of like impregnated metal foam sheets, motivated by the desire to further enhance the properties exhibited by the use of one impregnated metal foam sheet.

Art Unit: 1771

With regard to claim 21, Tsang does not specifically discloses the thickness of the metal foam being no less than 3 times the average diameter of the cells. However, such a variable would have been recognized by one skilled in the art as to enhance the compressive and tensile strength of the metal foam. Alternatively, it would have been obvious to the skilled artisan to prepare a metal foam having a smaller average cell diameter, motivated by the desire to have optimized the compressive, flexural, shear and tensile strength of the resulting impregnated foam. As such, in the absence of unexpected results, it would have been obvious to one having ordinary skill in the art at the time the invention was made to have optimized either the thickness of the metal foam or the average cell diameter of the metal foam motivated by the desire to enhance the tensile strength and barrier properties of the metal foam since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. In re Aller, 105 USPQ 233.

Conclusion

11. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is

Application/Control Number: 08/845,897 Page 9

Art Unit: 1771

filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hai Vo whose telephone number is (571) 272-1485. The examiner can normally be reached on Monday through Thursday, from 9:00 to 6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Terrel Morris can be reached on (571) 272-1478. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 08/845,897 Page 10

Art Unit: 1771

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

HV

HAIVO PRIMARY EXAMINER